

Baby Boy Coming Home/Baptism Outfit

Newborn-3 Months

Crochet Pattern

Sweater Jacket, Pants,
Cap, Booties



by Margaret Whisnant

Copyright © 2017 Margaret Whisnant

All rights reserved.

Baby Boy Coming Home/Baptism Outfit

***Crochet Pattern
Newborn-3 Months***

Table of Contents

	Page(s)
Materials List	1
Sweater Jacket	2-9
Pants with Suspenders	10-14
Baseball-Style Cap.	15-17
Booties.	18-21

Terms of Use

*Copyright © 2017 Margaret Whisnant
All rights reserved by author.*

This pattern and photos are my original creation and my intellectual property. You may not share, copy, or sell any part of this file.

You may use this pattern to create items for your personal use.

You may use this pattern to create items for sale on the condition that the pattern be credited in your posting.



Baby Boy Coming Home/Baptism Outfit Newborn-3 Months

Materials List

Yarn

- #3 weight yarn—3 skeins (approximately 15 oz.)
- Size 10 cotton crochet thread for trim options.

Samples made from LionBrand Baby Soft® and Baby Bee Sweet Delight®

LionBrand Baby Soft®, my personal favorite, is very light weight. It produces a soft, supple garment, with a cloth-like feel.

Baby Bee Sweet Delight® is also a very light weight yarn with a little more body than the LionBrand. This is a Hobby Lobby brand.

Note: Bernat Softee, another popular #3 weight baby yarn, is heavier than LionBrand and Baby Bee. It will produce a slightly larger, bulkier garment. This brand is **not** represented in the pattern samples.

Crochet Hooks

- Size F (3.75mm)
- #2 Steel Crochet hook for trim options.

I used **Size F** for all the sample garments. My work has a snug tension. A more relaxed style will result in slightly larger garments.

Buttons

- 13 buttons (8 for jacket, 2 for pants suspenders, 1 for cap, 2 for booties)

Jacket and Suspender Buttons in samples are $\frac{3}{4}$ " (19mm) and $\frac{1}{2}$ " (12 mm).

Button size will vary according personal preference, yarn used, and size of button holes.

Cap: In most cases I use the same size button on the cap as on the jacket and suspenders. However, when I can find a matching 1" button, I use that.

Booties: same size as other garments, or slightly smaller according to preference.

Finished Garment Measurements

Jacket: 15" resting circumference with lots of stretch room.
4 $\frac{1}{2}$ " sleeve from underarm to end.
8" from shoulder to bottom.

Pants: 16" resting hip circumference with generous stretch room.
7" length waist to crotch
10 $\frac{1}{2}$ " length from waist to ankle.
Pant legs are made to fit just below the knee or mid calf.

Cap: 14" resting circumference with some stretch room.

Booties—Two Sizes:

Smaller bootie for newborn foot has
2 $\frac{3}{4}$ " sole length

Larger bootie for growing foot has
3 $\frac{1}{4}$ " sole length

Gage: 6 hdc = 1 inch
3 rows hdc = 1 inch

Sweater Jacket




Jacket made with LionBrand Baby Soft®
trimmed with Size 10 crochet cotton.




Yellow Jacket made with LionBrand Baby Soft®.
Blue Jacket made from Baby Bee Sweet Delight "Surf Baby"
Size F (2.75) American crochet hook for both

Overview


- The body of the sweater jacket is worked in perpendicular rows of half double crochets. You will first construct the base.



- Then you will add the front panels where the first row of buttons and button holes are located.



- Next comes the neck trim, the second button row, and the second row of button holes.



Sleeve



- The sleeves are worked separately and sewn onto the body.
- Sew the under arms and side seams, and the garment is ready for buttons and optional trim.

Sweater Jacket

Unless otherwise noted, work all stitches in **back loop**.

Begin at Left Front and Back

Ch 86

Row 1: Hdc in 3rd ch from hook and in each ch across. (84 hdc) Ch 2, Turn. *Do **not** count ch 2 as stitch.*



Rows 2-6: Hdc in **back loop** of first hdc and in each hdc across. (84 hdc) Ch 2, Turn.

*Hint: Work **last stitch** in **top loop** rather than in **back loop** for a smooth, tight edge.*


Insert hook here:



Pull up hdc:



Complete stitch:



Sweater Back

Row 7: Hdc in back loops of first 42 hdc, leaving 42 hdc unworked. (42 hdc) Ch 2 Turn.



*Construction Detail: Your piece will look like this at row 9.
Garment in photo samples made Lion Brand BabySoft® yarn
and Size F (2.75mm) American crochet hook.*

Rows 8-22: (16 **total** rows counting Row 7) Hdc across 42 hdc. Ch 2, Turn.

Row 23: Hdc across 42 hdc. **Do not turn.** Ch 44, Turn

Sweater Jacket--Continued

Right Side and Back Continued

Row 24: Hdc in 3rd ch from hook; hdc in next 41 chs; hdc in next 42 hdc. (84 hdc)
Ch 2, Turn.

Rows 25-29 Work 5 more rows of hdc. **Fasten Off**


- Jacket base will look like this at the end of Row 29.

Row 29

Row 22

Row 7

Row 1



Add Front Panels:

Left Side: First Buttonhole Row:

- Attach yard in first free loop of chain worked in **Row 23**:

Row 1: Work 36 hdc in ch sts, leaving 6 unworked. Ch 2, Turn
(Ch2 does **not** count as st.)



- Resume working in **back loops only**.

Row 2: Hdc 2 tog, hdc in next 34 sts. (35 hdc) Ch 2, Turn

Row 3: Hdc in next 33 hdc; hdc 2 tog. (34 hdc) Ch 2, Turn

Row 4: Hdc 2 tog, hdc in next 32 hdc; (33 hdc) Ch 2, Turn

Row 5: Hdc in 31 hdc; hdc 2 tog (32 hdc); Ch 2, Turn

Row 6: Hdc 2 tog, hdc in next 30 hdc; (31 hdc) Ch 2, Turn

Sweater Jacket—Continued


Row 7: Hdc in 29 hdc; hdc 2 tog (30 hdc) Ch 2, Turn

Row 8: (**First Buttonhole Row**) Hdc 2 tog, ch 1, skip 1 hdc, (*button hole*); (hdc in next 7 hdc, ch 1, skip 1 hdc) 3 *times*, ending with hd in last 3 hdc. (25 hdc, 4 ch1 for buttonholes)

Row 9: Hdc in each hdc and each ch l. (29 hdc)

Finish Off

- Your work now looks like this.
- The buttonhole panel will be on the left side of the **finished** garment.



Right Side:

Attach yarn at neck edge in 7th st from neck back edge. (Leave 6 stitches unworked.)

Row 1: Working in **back loop only**, ch 1, hdc in 36 hdc; Ch 2, Turn (36 hdc)

Row 2: Hdc in next 34 hdc; hdc 2 tog; Ch 2, Turn (35 hdc)

Row 3: Hdc 2 sts tog; hdc in next 33 hdc; Ch 2, Turn. (34 hdc)

Row 4: Hdc in next 32 hdc; hdc 2 tog; Ch 2, Turn (33 hdc)

Row 5: Hdc 2 tog; hdc in next 31 hdc; Ch 2, Turn. (32 hdc)

Row 6: Hdc in next 30 hdc; hdc 2 tog; Ch 2, Turn (31 hdc)

Row 7: Hdc 2 tog; hdc in next 29 hdc; Ch 2, Turn. (30 hdc)

Row 8: Hdc in next 28 hdc; hdc 2 tog; Ch 2 Turn (29 hdc)

Row 9: Hdc in 29 hdc; Ch 2, Turn. **Do Not Fasten Off.**

Sweater Jacket--Continued

You are now at this point.



When the two front panels are flipped over and lined up with the back, the first two rows will overlap. The additional rows for four more button holes (See *below.*) will add three more rows to the overlap.

Second Button Hole Row/ Shoulder and Neck Trim

Row 1: Working in **back loops only**, hdc in 28 sts to neck corner;
Working through both loops, 3 hdc in corner st;
11 hdc evenly spaced across 9 panel rows;
hdc in next 6 sts;
20 hdc evenly spaced across back panel rows;
hdc in next 6 st;
11 hdc evenly spaced across 9 panel rows;
3 hdc in corner hdc;
(working in **back loops only**) hdc in 28 hdc to garment bottom; Ch 2, Turn.

Row 2: Second row of button holes:

Working in **back loops only**, hdc in 3 hdc,
(ch 1, sk 1 hdc, hdc in next 7 hdc) 3 times;
ch 1, sk 1 hdc, hdc in next st;

Working in both loops, 3 hdc in center corner st;

hdc between each hdc around shoulders and neck (55 hdc);

3 hdc in center corner st,

working in **back loops only**, hdc in 30 hdc to bottom of panel. Ch 2, Turn.

Note: Working **between** the stitches around shoulders and neck rather than in both loops prevents the formation of mini-ridge of loops.

Row 3: Mark this row as the right side (outside) of the garment.

Working in **back loops only**, 31 hdc to corner;

Working in both loops, 3 hdc in next stitch;

hdc **between** each hdc around shoulders and neck (56 hdc);

3 hdc in next corner st;

Working down button hole row in **back loops only**, hdc in each hdc and each ch 1 to end of row. **Fasten Off**

Sweater Jacket--Continued



Detail with neck trim,
button side, and second row of button holes added.



Fold so that button holes will be on the left.
Row 3 of the trim should be on the outside.

Sleeves

Ch 30

Row 1: Hdc in 3rd ch from hook, hdc next 22 chs; sc in last 5 chs; Ch 1, Turn.
(23 hdc, 5 sc—28 sts) *Ch 1 does not count as st*

Row 2 : Sc in back loop each of first 5 sc, hdc in back loop of 23 hdc; Ch 2, Turn.
(23 hdc, 5 sc—28 sts) Ch 2, Turn.

Row 3: Hdc in 23 hdc, sc in 5 sc; Ch 1, Turn. (23 hdc, 5 sc—28 sts)

Rows 4-25: Repeat Rows 2 and 3.

Fasten off, leaving length of yarn—approximately 30"—for sewing **underarms** and jacket **sides seams**.

Mark Sleeve Position

Count and mark 23rd **hdc** from the bottom front and bottom back of garment.

Align first and last rows of sleeve with markers. Fold with right sides together and **sew sleeve caps to body of garment**. (*Between markers only.*)



Pieces in this photo sample made with Baby Bee Sweet Delight®

Sweater Jacket--Continued

- Use length of yarn on sleeve to sew underarm and side seams.
- Add buttons.
- **Add optional trims to white jacket**
See below. . .



Baby Bee Sweet Delight® "Surf Baby"—Size F Hook

Trim Options

No Trim

- Trim is **not recommended** for garments made with any color other than white for two reasons:
 1. Trimming with yarn spoils the appearance of the ribbing and adds unwanted bulk.
 2. A color match in #10 crochet thread simply does not exist! Adding a row of white #10 thread across the ribbed bottom creates a highly-visible, uneven stitch.

These little garments bedazzle on their own. No trim needed! This includes the white jacket.



Adding Trim to White Baptismal/Christening Garments

Single Row #10 Cotton Thread:

This jacket, made from LionBrand Baby Soft® and a Size F hook (3.75mm), is trimmed with **one row** of single crochets in #10 Cotton/ #2 steel hook. The delicate #10 thread compliments the yarn's texture. It also helps retain the garment's shape .

Substituting the blue buttons with white ones is also an option for the white garment.



LionBrand Baby Soft Size F Hook®

Sweater Jacket—Continued

Trim Options—Single Row #10 Cotton Thread--continued

- **Procedure:** *Using #10 white crochet cotton and size 2 steel crochet hook*
 1. Start a row of sc at the bottom of the jacket in the center back or one of the side seams. Carefully work sts across ridges, taking care not to create stretching or a drawstring effect. (*General rule: 1 stitch per row with modifications for seams, etc.*)
 2. Work 3 sc at each turning point (*top and bottom of each panel*)
 3. Work sc in each stitch along panel edges and around neck.
 4. Add a row of sc around sleeve wrists.



Detail one row #10 Cotton Thread Trim




One-row Trim Detail #10 Cotton Thread—Jacket Bottom

Blue Trim—#10 Cotton Thread

- The blue trim required **two rows** of single crochets in **# 10 Crochet Cotton**. A single row in blue across the ribbed bottom creates an highly-visible, uneven stitch. A row of white, which blends in with the yarn, sets up a smooth base for the blue.
- **Procedure**
 1. Work a row of single crochet in **white #10 crochet cotton** starting at the jacket bottom, center back. Carefully work stitches evenly across ridges taking care not to create stretching or a drawstring effect.
 2. Work 3 sc at each turning point (*top and bottom of each front panel*).
 3. Work sc in each stitch along panel edges and around neck.
 4. Attach **blue thread** in center back—close to, but not the same stitch as the base row of white. This helps avoid a “starting-finishing lump.”
 5. Work sc in each stitch and 3 sts in center stitch of each turning point.
 6. Follow two-row procedure on sleeves.



Jacket Bottom Double Row Detail



Neck Detail—Double Row Trim

Pants with Suspenders (Knee-Length)



Overview

- This garment is made in one piece in perpendicular rows of half double crochets and single crochets.
- The ribbed look is created by working in back loops only.



- The pants are then folded and seemed up the back and around the legs and crotch.
- The final steps are to make the suspenders, attach them, and add buttons.



Pants with Suspenders

Knee-Length

Left Back (Half Panel)

Work all stitches in **back loop only**.


Row 1: Ch 39

Sc in 2nd ch from hook, sc in next 7 chs; hdc in next 30 chs. Ch 2, Turn (Ch2 does **not** count as hdc.) (8 sc, 30 hdc)

Row 2: 2 hdc in first hdc; hdc in next 29 hdc; sc in 8 sc. Ch 1, Turn (Ch 1 does **not** count as sc) (32 hdc, 8 sc)


Row 3: Sc in 8 sc, hdc in next 30 hdc, 2 hdc in last st.
Do **not** turn.
Ch 16 (*Begin left leg construction*)
(8 sc, 32 hds, ch 16)

Note: For smoother edge on band, crochet **last** sc **into** the stitch rather than in back loop. After turn, crochet first stitch in **back loop**.



Left Leg Construction

Row 4: Sc in 2nd ch from hook, sc in next 4 chs; hdc in remaining 10 chs; hdc in 32 hdc; sc in 8 sc. Ch 1. Turn (5 sc, 42 hdc, 8 sc)



Leg Construction Detail at Row 8

Row 5: Sc in 8 sc; hdc in 42 hdc; sc in 5 sc. Ch 1. Turn (8 sc waist band, 42 hdc, 5 sc leg band)

Row 6: Sc in 5 sc, hdc in 42 hdc, sc in 8 sc. Ch 1, Turn (5 sc, 42 hdc, 8 sc)

Rows 7-28: Repeat Rows 5-6. Piece should measure 7 ¼ " from Row 1.
(3 rows in front half-panel, 25 rows in leg)

- Check st count occasionally as the change from hdc to sc can be tricky.

Center Front Panel

Row 29. Sc in 8 sc, hdc in 32 hdc. Ch 2. Turn. Leave 10 hdc and 5 sc unworked.
(8 sc, 32 hdc)

Pants with Suspenders—*Continued*

Row 30: Hdc 2 tog (*first 2 hdc*), hdc in 30 hdc; sc in 8 sc. Ch 1. Turn. (30 hdc, 8 sc)


Row 31: Sc in 8 sc, hdc in 29 hdc; hdc 2 tog (*last 2 hdc*). Ch 2. Turn. (8 sc, 30 hdc)

Row 32: Hdc in 30 hdc; sc in 8 sc. Ch 1, Turn (30 hdc, 8 sc)

Row 33. Sc in 8 sc, hdc in 29 hdc, 2 hdc in last hdc. Ch 2, Turn. (8 sc, 31 hdc)

Row 34: 2 hdc in 1st hdc; hdc in next 30 hdc; sc in 8 sc. Ch 1, Turn. (32 hdc, 8 sc)

Row 35: sc in 8 sc; hdc in 32 hdc. Do **not** Turn.
Ch 16 (*Begin construction of right leg.*)



Right Leg Construction

Row 36: Sc in 2nd ch from hook, sc in next 4 chs; hdc in remaining 10 chs; hdc in next 32 hdc; sc in 8 sc. Ch 1, Turn. (5 sc, 42 hdc, 8 sc)

Row 37: Sc in 8 sc; hdc in 42 hdc; sc in 5 sc. Ch 1, Turn. (8 sc, 42 hdc, 5 sc)

Row 38: Sc in 5 sc; hdc in 42 hdc, sc in 8 sc. Ch 1, Turn. (5 sc, 42 hdc, 8 sc)

Rows 39-61: Repeat Rows 37 and 38 (*total of 25 rows in leg*)

Pants with Suspenders—*Continued*

Right Back (half pane)

Row 62: Sc in 8 sc; hdc in next 32 hdc. Ch 2, Turn, leaving remaining 10 hdc and 5 sc unworked. (8 sc, 32 hdc)

Row 63: Hdc 2tog, hdc in 30 hdc; sc in 8 sc. Ch 1, Turn. (31 hdc, 8 sc)

Row 64: Sc in 8 hdc; hdc in 29 hdc, hdc 2tog. (8 sc, 30 hdc)

Fasten off, leaving length of yarn for sewing back seam.



Completed Panels and Legs



Ready for Seams

Suspenders

Ch 52

Row 1: Hdc in 3rd ch from hook; hdc in remaining 49 chs. (50 hdc) Ch 2, Turn
Ch 2 does **not** count as stitch.

Row 2: *Working in back loops only*, hdc in 47 hdc, ch 1, sk 1 hdc (Button hole), hdc in last 2 hdc. Ch 2, Turn

Row 3: *Working in back loops only*, hdc in each hdc and in ch 1 space.

Fasten Off, leaving length of yarn for sewing suspender onto pants.

Make 2 suspenders.

- Adjust length if necessary to fit a particular infant.

Pants with Suspenders—Continued

Finishing

- Sew back seam.
- Sew leg and crotch seam, taking care to match rows in front and back panels.
- Sew suspenders onto back of pants. Position pieces evenly spaced from center and from side folds. Move suspenders 3 rows down waist band to attach.
- Add buttons to front.



*Suspender Attachment Detail
from Inside*



*Suspender Attachment Detail
from Right Side*



*Pants are knee length.
Position of legs make the pants appear longer.*

Optional Trim


Use same trim option for white garment as on Jacket. Add trim to suspenders **before** attaching to pants.

Trim around waist band is **not** recommended as this needs to remain fully stretchable for pulling up over a diapered bottom.

Cap

Special Stitch.

fpt dc (*front post double crochet*):
yo and insert hook from front to
back around target stitch. Pull up
loop, yo, pull through 2 loops,
yo, pull through remaining 2 loops.



Ch 4, work 13 dc in first ch. Join with sl st in top of ch 4. (14 dc counting ch3)

Work in rounds. Do not turn

Round 1: Ch3, dc in same sp, fpt dc over next dc; * 2 dc in next dc, fpt dc over next dc; * continue from * to * around, join sl st in top of ch 3
(7 fpt with 2 dc between) (21 dc)

Round 2: Ch 3, dc in same sp, 2 dc in next dc, fpt dc over next dc; *2 dc in next dc, 2 dc in next dc, fpt dc over next dc;* continue from * to * around, sl st in top of ch 3.
(7 fpt dc with 4dc between) (35 dc)

Round 3: ch 3, dc in same sp, dc in next 2 dc, 2 dc in next dc, fpt dc over next dc; *2 dc in next dc, dc in next 2 dc, 2 dc in next dc, fpt dc over next dc;* continue from * to * around; st st in top of ch 3. (7 fpt dc with 6 dc betwee.) (49 dc)

Round 4. Ch 3, dc in same st, dc in next 4 dc, 2 dc in next dc; fpt dc over next dc; *2 dc in next dc, dc in next 4 dc, 2 dc in last dc, fpt dc over next dc;* continue from, * to * around; sl st in top of ch 3. (7 fpt dc with 8 dc between) (63 dc)



Cap--Continued

Round 5: Ch 3, dc in 7 dc; fpt dc over next dc; *dc in 8 dc; fpt dc over next dc;* repeat from * to * around; sl st in top of ch3. (7 fpt dc with 8 dc between)
(63 dc)

Rounds 6-9: Repeat Round 5 **four** more times, or number needed for proper fit.

Rounds 10-12: Sc in each st around (63 sc).

Do not fasten off.

Cap Bill

Worked in turned rows

Row 1: Ch 1, sc in **same space**, sc in next 4 sc, 2 sc in next sc , (sc in next 5 sts, 2 sc in next sc) 3 times; sc in next 5 sts. Ch 1, Turn (33 sc)

Row 2: Sc 2tog, sc in 29 sc, sc 2tog. Ch1, Turn (31 sc)

Row 3: Sc 2tog, sc in next 7 sc; 2sc in next sc, sc in next 11 sc; 2 sc in next sc, sc in next 7 sc; sc 2tog. Ch 1, Turn (31 sc)

Row 4: Sc 2 tog, sc in 27 sc, sc 2tog. Ch 1, Turn (29 sc)

Row 5: Sc 2 tog, sc in next 8 sc; 2 sc in next sc, sc in next 7 sc; 2 sc in next sc, sc in next 8 sc; sc 2tog. Ch 1, Turn (29 sc)

Row 6: Sc 2 tog, sc in 25 sc, sc 2tog. Ch 1, Turn (27 sc)

Row 7: Sc 2 tog, sc in next 7 sc; 2 sc in next sc, sc in next 7 sc; 2 sc in next sc, sc in next 7 sc; sc 2tog. Ch 1, Turn (27 sc)

Row 8: Sc 2tog, sc in 23 sc, sc 2tog. (25 sc)

Fasten Off Weave in/Tie off loose threads.

Bill and Cap Trim:

Attach yarn **one stitch** to the left of bill on Row 12. (See Photo)

Right Side Facing

Row 1: Work row of sc over row edges, across front of bill, down row edges on right side of bill, and around cap body; sl st in first sc (one stitch to left).



Cap Detail before Adding Single Crochet Trim


Cap—Continued

Note:

Do not create sharp corners around front of bill. It should be rounded, with a slight bow along the row edges.

Row 2: Slip st in each sc around bill, ending **one stitch** past the point where bill meets cap band. This row adds a little extra body to help the bill retain shape.

Fasten Off



Cap Detail after Single Crochet Trim Added



Slip Stitch Detail

Add decorative button to top if desired.

Trim Option: Use same trim option as other garments, taking care to leave plenty of stretch when working sc around cap band.



Button Strap Booties

First Numbers: 2 ¾" sole Parenthesis: 3 ¼" sole



Note: Newborn babies have tiny feet! Using the first set of numbers in this pattern will result in newborn-size booties

The generous stretch power in the matching jacket and pants makes them wearable for the next 4 to 12 weeks. The tiny booties, however, lack the same stretch room.

Therefore, I'm including a second set of numbers for a slightly larger bootie to accommodate your growing baby boy. Make a second pair and get longer wear from the whole outfit.

Sole

ch 10(11)

Row 1: Hdc in 2nd ch from hook; hdc in next 4(5) chs, dc in next 3 chs; 7dc in ending ch. *Working down opposite side:* dc in next 3 sts; hdc in next 4(5) sts, 4hdc in last ch. Join with sl st in sp between ch and 1st hdc. (26/28 sts)

Row 2: Ch 1, hdc in **same sp**, hdc in next 6(7) sts, dc in next st, 2dc in next 3 sts, 3dc in next st, 2dc in next 3 sts, dc in next st, hdc in next 7(8) sts, 2hdc in last 3 sts. sl st in sp between first ch 1 and hdc. (See photo.) (37/39 sts)

* * * * *

Special Note for Ending Slip Stitch and Beginning Stitch

Follow this joining/1st st technique to keep # of stitches consistent throughout.

Ending Slip Stitch: Always **skip the loop at the end of the row**. It gives the appearance of another stitch, but it isn't. Work the joining **slip stitch** into the space between the beginning ch 1 and first stitch.

For smooth transition to sides:

After joining Row 2, sl st into **back loops** of first hdc.



You are now ready to construct the side.

Button Strap Booties—Continued

Sides:

Row 3: Work in **back loops only** around row, ch 1, hdc in **same space** (back loop), hdc in each st around. Sl st in first st. (sp between beginning ch 1 and hdc. (37/39 hdc)



Row 4: Work in **both loops**, ch 1, hdc in same space, hdc in each st around, sl st in sp between beginning ch1 and hdc. (37/39 sc)

For Larger Size Only: Ch 1, sc in same sp; sc in (36/38) hdc. Join with sl st in sp between beginning ch1 and sc. (37/39 sc)

Toe/Bootie Top Shaping:

Row 5(6): Ch 1, **sc** in same space; sc in next 10(11) sts, **sc 2tog**, **hdc 2tog**, **dc 2tog**, **dc** in next hdc (center), **dc 2tog**, **hdc 2tog**, **sc 2tog**; **sc** in remaining 13(14) hdc. Join with sl st in sp between beginning ch 1 and sc. (31/33 sts around)


Row 6(7): Ch 1, sc in same space; sc in next 8(9) sts; **sc 2tog**, **hdc 2 tog**, **dc** in next st, **dc 2 tog**, (center) **dc** in next st, **hdc 2tog**; **sc 2tog**, sc in remaining 10(11) sts. Join with sl st in sp between beginning ch 1 and sc. (26/28 sts around)

Row 7(8): Ch 1, sc in same sp; sc in next 7(8) sts; **sc 2 tog**, **hdc 2tog**, **dc 2 tog** (center), **hdc 2 tog**, **sc 2tog**; sc in last 8(9) sts. Join with sl st in sp between beginning ch 1 and sc. (21/23 sts around)

Finish Off

Button Strap:

Left Bootie: Join yarn in 1st st to the left of sc 2 tog on Row 7.



Button Strap Bootie--Continued

Button Strap--Continued


Row 1: Ch 10(11),
Sc in 2nd ch from hook; sc in next 8(9) chs; sc in **joining st**;
work 15/18 sc around bootie, ending at
st to right of sc 2tog;
(5 unworked sts between beginning sc
and ending sc.) Turn.

Row 2: *Working on wrong side* Ch 1, sc in same sp;
sc to last 3 sc; ch 2, skip 2 sc
(*button hole*), sc in last sc; Turn.


Row 3: *Working on right side*
Ch 1, sc in same sp; 2 sc in ch 2 sp; sc across to last sc; Turn.

Row 4: Trim

Ch 1, Turn to strap edge;
sc along strap edge, across top of shoe, and
in ch loops under strap;
(sc, ch1, sc) in strap corner st,
sc across end of strap,
(sc, ch1, sc) in 2nd corner,
sc in each st across strap and shoe
to beginning st;
Join with sl st in sp between beginning sc and ch1.



Fasten Off



With **wrong** side facing, attach yarn
in 1st st to right of sc 2tog

Right Bootie:


Row 1: Ch 10(11),
sc in 2nd ch from hook. Sc in next 8(9) chs;
With inside (**wrong** side) of bootie facing, sc in **joining stitch**.
Work 15/18 sc around bootie, ending at st to left of dc 2tog.
(5 unworked sts between beginning and ending sc. Turn.

Row 2: *Working on right side* Ch 1, sc in same space; work around shoe and strap to last 3 sts; ch 2, sk 2 sc (*button hole*), sc in last st. Turn.

Row 3: *Working on wrong side* Ch 1, sc in same space, 2 sc in ch 2 sp, sc across to last sc; Turn.

Row 4: Trim Row

Sc in same sp as ch1; sc across top of bootie and strap to strap corner; (sc, ch1, sc) in corner st; sc across end of strap; (sc, ch1, sc) in second strap corner; sc in ch loops under strap, across top of shoe, and up side of strap; ch 1, join with sl st in first sc.



Fasten off.

Sew on buttons.



#10 Crochet Thread Trim Option.

Row 4: Trim Row #10 Thread

Follow same instructions for #10 crochet trim option.

Fasten off.

Sew on buttons

